

नपाम :: तेजपुर - 784028 :: असम NAPAAM :: TEZPUR - 784028 :: ASSAM

SHORT QUOTATION NOTICE

TU/11-24/Pur/Qtn/2017-18/3628-A Dated: 21.11.2017

Sealed quotations in **Two (02) Bid System (Technical and Financial)** are invited from reputed manufacturers/authorized dealers/vendors for supply, installation & commissioning etc. of following items required for the DBT Twinning Project entitled "Biorefinery approach for generation of platform chemicals and bioethanol from indigenous lignocellulosic agrowaste and algal bioresources" of Dr. Eeshan Kalita, Department of Molecular Biology & Biotechnology, Tezpur University.

SI No.	ltem	Specification
1.	High Pressure Stirred Autoclave cum Induction	Size and construction: 250 ml capacity made from SS 316 solid bar stock (no welding) with SS-316 Fixed head design.
	Reactor with	Maximum operating pressure: 100 bar (1450 psi).
	Catalyst/Gas charging	Maximum operating temperature: 500 °C.
	facility	
		Nozzles and fittings:
		• Should be equipped with Vacuum pump with suitable vacuum
		pressure gauge for Up to 0.01 mm Hg vacuum.
		 Should have Back pressure regulator up to 100 bar pressure for gas charging facility.
		• Should be equipped with two SS 316 gas collectors with two needle valves, one at each end; one standard pressure gauge up to 50 bar and a sample collection port with the capacity of 1000 and 2000 ml.
		• All line connections should be ¼ inch SS pipe (designed for up to 100 bar operating pressure).
		 Should be equipped with digital Pressure gauge, Vent valves, Safety rupture disc etc.
		 Should have Internal cooling with temperature sensor and display.
		 Should be equipped with External heating facility with temperature controller with control panel (including display) and temperature sensor.
		 Should have Gas inlets and outlets combined with digital pressure gauge.
		 Should have liquid sampling facility.
		 Should have mass flow controller with display unit.
		• Mounting facility on SS-trolley for easy portability and setup
		management is preferable.
		Accessories:
		 Various fittings such as needle valves, non-return valves etc. should be provided as required for the setup.
		• One online filter should be provided at outlet of autoclave to
L		

List of equipment and specifications:



नपाम :: तेजपुर - 784028 :: असम

NAPAAM :: TEZPUR - 784028 :: ASSAM

		prevent carryover of the solid material from autoclave.
		 Catalyst basket of ~25 ml size should be provided for placing with
		in autoclave.
		• Two SS Pressure regulators for cylinders: (a) One for H2 cylinder
		(b) One for Argon cylinder equipped with pressure gauges and ${ m 1}{ m 4}$
		inch outlet fitting and designed for operation up to 100 bar.
		Warranty:
		Warranty on the components covering a minimum of two years
		from the date of installation should be included in the offer with a
		provision for extended warranty.
		Certifications:
		The equipment should conform to ASME/CE/International quality
		standards and related documents should be provided.
		Compliance:
		Vendor with required experience should take all necessary
		responsibility to quote for specified configurations supported with
		adequate literature. Vendor should submit documents supporting
		their expertise and supply list of Indian Customers (with detailed communication address and installation certificates) where such
		instruments have been supplied successfully.
		Transportation, Insurance, Installation & commissioning:
		The Quotation price should include delivery and free installation of
		the instrument at Tezpur University, Napaam, Assam-784028,
		India. The instrument should be transported to installation site and
		insurance should cover from the supplier warehouse to installation
		site. The instrument to be installed, tested and commissioned by
		representative of supplier at Tezpur University premises to the satisfaction of user. Full installation kit should be supplied along
		with the instruments. All necessary installation pre-requisites
		should be offered for satisfactory operation after installation at
		site like tubing, fittings, or any other relevant accessories to install
		& run the instrument smoothly. Operational manual for the
		relevant parts/components should be supplied.
2.	Table-top Refrigerated	Size and construction:
	Centrifuge including	• Should be within the following dimensions: (W x D x H): $40 \times 65 \times 10^{-10}$
	accessories	30 cm.
		• Weight excluding accessories should be ~50 kg.
		• Should have maintenance-free, brush-less motor.
		• Rotor chamber should be made from stainless steel with PTFE
		coating.
		 The system should be equipped with the following: → (24 x 1.5/2.0 ml tubes) rotor with speed up to ~17,500 rpm/
		30.000 x g.



नपाम :: तेजपुर - 784028 :: असम

NAPAAM :: TEZPUR - 784028 :: ASSAM

 (6 x 15/50 ml tubes) rotor with carrier for 15/50 ml tubes and with speed up to ~7,800 rpm/ 7,000 x g. (2 x plate) swing-bucket rotor for MTP/PCR/Deep well plates with speed up to ~4,500 rpm/ 2,000 x g.
 Should have a wide working temperature range from -10 °C to +40 °C, modifiable during run operation.
• The system should be equipped with effective ventilation system and should conform to the EN-61010-1 & EN-61010-2-020 international safety norms.
Working conditions:
 Should have a maximum speed of ~18,000 rpm, RCF of ~30,000 x g, and a maximum capacity of ~500ml.
 Should have the facility of storing operating programs for easy operability and should be equipped with centrifuge run time of 30s-continuous.
• Should be equipped with protection systems to ensure that it is not possible to open the lid during spinning & not possible to start when the lid is open.
 Should have facility for automatic rotor identification, imbalance detection, automatic lid opening, lid locking during rotor running and emergency lid lock release.
 Should have facility for two modes of run-time calculation: from start key press or from reaching preselected speed.
 Should have facility for monitoring and saving of working parameters through computer or directly by thermal printer with serial port.
• Short spinning function should be provided.
Warranty: Warranty on the components covering a minimum of two years
from the date of installation should be included in the offer with a provision for extended warranty.
Certifications:
The equipment should conform to ASME/CE/International quality standards and related documents should be provided.
Compliance:
Vendor with required experience should take all necessary responsibility to quote for specified configurations supported with
adequate literature. Vendor should submit documents supported with
their expertise and supply list of Indian Customers (with detailed communication address and installation certificates) where such instruments have been supplied successfully.
Transportation Insurance Installation 9 commissioning
Transportation, Insurance, Installation & commissioning: The Quotation price should include delivery and free installation of



नपाम :: तेजपुर - 784028 :: असम NAPAAM :: TEZPUR - 784028 :: ASSAM

the instrument at Tezpur University, Napaam, Assam-784028, India. The instrument should be transported to installation site and insurance should cover from the supplier warehouse to installation site. The instrument to be installed, tested and commissioned by representative of supplier at Tezpur University premises to the satisfaction of user. Full installation kit should be supplied along with the instruments. All necessary installation pre-requisites should be offered for satisfactory operation after installation at site like tubing, fittings, or any other relevant accessories to install & run the instrument smoothly. Operational manual for the relevant parts/components should be supplied.

GENERAL TERMS & CONDITIONS:

- 1. No separate tender paper will be issued from the office; one should only download the specifications/List from the website.
- 2. The rates should be preferably quoted in Indian Rupee and FOR Tezpur University, Napaam basis. Charges for clearing and transportation should be incurred by the supplier.
- Quotations should be accompanied by i) An EMD (in the form of Demand Draft/Call Deposit/TDR) of ₹. 5000/- (Rupees Five Thousand) only drawn/pledged in favor of Registrar, Tezpur University, payable at Tezpur. No request for consideration of earlier deposited EMD will be considered. ii) A non-refundable application (quotation) fee of ₹.1000.00 (Rupees One Thousand) only must be paid only by Demand Draft drawn in favour of Registrar, Tezpur University payable at Tezpur.
- 4. The rates should be exclusive of GST and applicable GST in % should be clearly indicated
- 5. Applicable levies, surcharge and discounts should be clearly indicated itemwise.
- 6. Quoted rates should be valid at least for a period of 01 year.
- 7. The rates should be quoted along with supporting documents of specifications and technical features and list of users.
- 8. The system must be installed at the laboratory, and after installation a basic training must also be provided by the supplier or their Indian counterpart without any additional costs.
- 9. All the quotations must be accompanied with supporting documents and / or literature.
- 10. Demonstration may be sought from the vendors for authentication of quoted specification.
- 11. Details of availability of after sales support will have to be furnished. After sales support, directly from manufacturer and from Assam (Guwahati / Tezpur) will be preferred.
- 12. The University is exempted from paying Custom and Excise duty.
- 13. Proprietary items should be quoted with sole Manufacturer/Distributorship certificate.
- 14. Warranty/Gurantee period should be specifically mentioned in the quotation.
- 15. No Advance payment will be made. However, for foreign supplier, advance payment will be made either by FDD/Wire Transfer/LC. In such cases 10% Performance Bank Guarantee should be submitted before issuing FDD/Wire Transfer/LC, covering the warranty period.
- 16. Performance Bank Guarantee also must be submitted for Major equipments of Indian origin, covering the warranty period.
- 17. Items of Foreign origin should have Insurance up to installation on site.
- 18. The University reserves the right to accept or reject any or all the quotations without assigning any reason.
- 19. Quoted price should be inclusive of essential accessories and should be CIF Tezpur University, Tezpur
- 20. Applications for release of EMD should be submitted to the Registrar/ Joint Registrar.



तेजपुर विश्वविद्यालय / TEZPUR UNIVERSITY (संसद के अधिनियम द्वारा स्थापित केंद्रीय विश्वविद्यालय) (A Central University established by an Act of Parliament) कुल सचिव का कार्यालय/ OFFICE OF THE REGISTRAR नपाम :: तेजपुर - 784028 :: असम NAPAAM :: TEZPUR - 784028 :: ASSAM

- 21. Apart from the above terms and conditions the University has the right to include any other terms and conditions as and when felt necessary.
- 22. Quotation should be submitted in the DROP BOX placed in the reception of the Administrative Building of the University within 30 days form the issue of this notice. If posted/courierred, should reach on or before the last date addressed to "The Joint Registrar, Tezpur University". The Quotation Notice No. and date should be clearly superscribed in the envelope/packet containing the quotation. Technical and Financial Bid in separate envelopes are to be put in the main envelope alongwith the Tender Fee and EMD.

Sd/- Joint Registrar Tezpur University